



LITTLITE

STANDARD PRODUCTS

P SERIES

6P	Low Intensity, 6" Gooseneck, Threaded End	142,-
6P-HI	High Intensity, 6" Gooseneck, Threaded End	201,-
12P	Low Intensity, 12" Gooseneck, Threaded End	142,-
12P-HI	High Intensity, 12" Gooseneck, Threaded End	201,-
18P	Low Intensity, 18" Gooseneck, Threaded End	142,-
18P-HI	High Intensity, 18" Gooseneck, Threaded End	201,-

G SERIES

6G	Low Intensity, 6" Gooseneck, BNC Connector	170,-
6G-HI	High Intensity, 6" Gooseneck, BNC Connector	230,-
12G	Low Intensity, 12" Gooseneck, BNC Connector	170,-
12G-HI	High Intensity, 12" Gooseneck, BNC Connector	230,-
18G	Low Intensity, 18" Gooseneck, BNC Connector	170,-
18G-HI	High Intensity, 18" Gooseneck, BNC Connector	230,-

X SERIES

6X	Low Intensity, 6" Gooseneck, 3-PIN XLR Connector	204,-
6X-HI	High Intensity, 6" Gooseneck, 3-PIN XLR Connector	264,-
12X	Low Intensity, 12" Gooseneck, 3-PIN XLR Connector	204,-
12X-HI	High Intensity, 12" Gooseneck, 3-PIN XLR Connector	264,-
18X	Low Intensity, 18" Gooseneck, 3-PIN XLR Connector	204,-
18X-HI	High Intensity, 18" Gooseneck, 3-PIN XLR Connector	264,-

X4 SERIES

6X-4	Low Intensity, 6" Gooseneck, 4-PIN XLR Connector	281,-
6X-HI-4	High Intensity, 6" Gooseneck, 4-PIN XLR Connector	338,-
12X-4	Low Intensity, 12" Gooseneck, 4-PIN XLR Connector	281,-
12X-HI-4	High Intensity, 12" Gooseneck, 4-PIN XLR Connector	338,-
18X-4	Low Intensity, 18" Gooseneck, 4-PIN XLR Connector	281,-
18X-HI-4	High Intensity, 18" Gooseneck, 4-PIN XLR Connector	338,-

XR SERIES

6XR	Low Intensity, 6" Gooseneck, 3-PIN, Right Angle XLR Connector	274,-
6XR-HI	High Intensity, 6" Gooseneck, 3-PIN, Right Angle XLR Connector	333,-
12XR	Low Intensity, 12" Gooseneck, 3-PIN, Right Angle XLR Connector	274,-
12XR-HI	High Intensity, 12" Gooseneck, 3-PIN, Right Angle XLR Connector	333,-
18XR	Low Intensity, 18" Gooseneck, 3-PIN, Right Angle XLR Connector	274,-
18XR-HI	High Intensity, 18" Gooseneck, 3-PIN, Right Angle XLR Connector	333,-

XR-4 SERIES

6XR-4	Low Intensity, 6" Gooseneck, 4-PIN, Right Angle XLR Connector	354,-
6XR-HI-4	High Intensity, 6" Gooseneck, 4-PIN, Right Angle XLR Connector	413,-
12XR-4	Low Intensity, 12" Gooseneck, 4-PIN, Right Angle XLR Connector	354,-
12XR-HI-4	High Intensity, 12" Gooseneck, 3-PIN, Right Angle XLR Connector	413,-
18XR-4	Low Intensity, 18" Gooseneck, 4-PIN, Right Angle XLR Connector	354,-
18XR-HI-4	High Intensity, 18" Gooseneck, 4-PIN, Right Angle XLR Connector	413,-

L-1 SERIES

L-1/6	Low Intensity Lampset. Detachable BNC 6" Gooseneck. Power Supply and Mounting Kit	348,-
L-1/6E	Low Intensity Lampset. Detachable BNC 6" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-1/6A	Low Intensity Lampset. Detachable BNC 6" Gooseneck. Mounting Kit. No Power Supply	289,-
L-1/12	Low Intensity Lampset. Detachable BNC 12" Gooseneck. Power Supply and Mounting Kit	348,-
L-1/12E	Low Intensity Lampset. Detachable BNC 12" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-1/12A	Low Intensity Lampset. Detachable BNC 12" Gooseneck. Mounting Kit. No Power Supply	289,-
L-1/18	Low Intensity Lampset. Detachable BNC 18" Gooseneck. Power Supply and Mounting Kit	348,-
L-1/18E	Low Intensity Lampset. Detachable BNC 18" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-1/18A	Low Intensity Lampset. Detachable BNC 18" Gooseneck. Mounting Kit. No Power Supply	289,-

L-2 SERIES

L-2/6	Low Intensity Lampset. Permanent Mount 6" Gooseneck. Power Supply and Mounting Kit	289,-
L-2/6E	Low Intensity Lampset. Permanent Mount 6" Gooseneck. Mounting Kit. Euro Power Supply	337,-
L-2/6A	Low Intensity Lampset. Permanent Mount 6" Gooseneck. Mounting Kit. No Power Supply	230,-
L-2/12	Low Intensity Lampset. Permanent Mount 12" Gooseneck. Power Supply and Mounting Kit	289,-
L-2/12E	Low Intensity Lampset. Permanent Mount 12" Gooseneck. Mounting Kit. Euro Power Supply	337,-
L-2/12A	Low Intensity Lampset. Permanent Mount 12" Gooseneck. Mounting Kit. No Power Supply	230,-
L-2/18	Low Intensity Lampset. Permanent Mount 18" Gooseneck. Power Supply and Mounting Kit	289,-

Alle priser er ex. moms.

Light Partner aps

97 26 96 00 - www.lightpartner.dk

Marts 2010

L-2/18E	Low Intensity Lampset. Permanent Mount 18" Gooseneck. Mounting Kit. Euro Power Supply	337,-
L-2/18A	Low Intensity Lampset. Permanent Mount 18" Gooseneck. Mounting Kit. No Power Supply	230,-
L-3 SERIES		
L-3/6	High Intensity Lampset. Permanent Mount 6" Gooseneck. Power Supply and Mounting Kit	348,-
L-3/6E	High Intensity Lampset. Permanent Mount 6" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-3/6A	High Intensity Lampset. Permanent Mount 6" Gooseneck. Mounting Kit. No Power Supply	289,-
L-3/12	High Intensity Lampset. Permanent Mount 12" Gooseneck. Power Supply and Mounting Kit	348,-
L-3/12E	High Intensity Lampset. Permanent Mount 12" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-3/12A	High Intensity Lampset. Permanent Mount 12" Gooseneck. Mounting Kit. No Power Supply	289,-
L-3/18	High Intensity Lampset. Permanent Mount 18" Gooseneck. Power Supply and Mounting Kit	348,-
L-3/18E	High Intensity Lampset. Permanent Mount 18" Gooseneck. Mounting Kit. Euro Power Supply	396,-
L-3/18A	High Intensity Lampset. Permanent Mount 18" Gooseneck. Mounting Kit. No Power Supply	289,-
L-4 SERIES		
L-4/6	High Intensity Lampset. Detachable BNC 6" Gooseneck. Power Supply and Mounting Kit	407,-
L-4/6E	High Intensity Lampset. Detachable BNC 6" Gooseneck. Mounting Kit. Euro Power Supply	455,-
L-4/6A	High Intensity Lampset. Detachable BNC 6" Gooseneck. Mounting Kit. No Power Supply	348,-
L-4/12	High Intensity Lampset. Detachable BNC 12" Gooseneck. Power Supply and Mounting Kit	407,-
L-4/12E	High Intensity Lampset. Detachable BNC 12" Gooseneck. Mounting Kit. Euro Power Supply	455,-
L-4/12A	High Intensity Lampset. Detachable BNC 12" Gooseneck. Mounting Kit. No Power Supply	348,-
L-4/18	High Intensity Lampset. Detachable BNC 18" Gooseneck. Power Supply and Mounting Kit	407,-
L-4/18E	High Intensity Lampset. Detachable BNC 18" Gooseneck. Mounting Kit. Euro Power Supply	455,-
L-4/18A	High Intensity Lampset. Detachable BNC 18" Gooseneck. Mounting Kit. No Power Supply	348,-
AUTOMOTIVE SERIES		
L-5 SERIES		
L-5/6	High Intensity Lampset. Permanent End Mount 6" Gooseneck. Automotive Wiring Kit	295,-
L-5/12	High Intensity Lampset. Permanent End Mount 12" Gooseneck. Automotive Wiring Kit	295,-
L-5/18	High Intensity Lampset. Permanent End Mount 18" Gooseneck. Automotive Wiring Kit	295,-
L-6 SERIES		
L-6/6	High Intensity Lampset. Permanent Mount 6" Gooseneck. Detachable Cigarette Plug Adapter	314,-
L-6/12	High Intensity Lampset. Permanent Mount 12" Gooseneck. Detachable Cigarette Plug Adapter	314,-
L-6/18	High Intensity Lampset. Permanent Mount 18" Gooseneck. Detachable Cigarette Plug Adapter	314,-
L-9 SERIES		
L-9/6	High Intensity Lampset. Permanent Mount 6" Gooseneck. Automotive Wiring Kit	295,-
L-9/12	High Intensity Lampset. Permanent Mount 12" Gooseneck. Automotive Wiring Kit	295,-
L-9/18	High Intensity Lampset. Permanent Mount 18" Gooseneck. Automotive Wiring Kit	295,-
STOWLITE		
	12-volt Automotive Map Light-Cigarette Plug	111,-
RAKLITE SERIES		
RL-10-S	1 RU Ralnite with one 12" High Intensity Gooseneck and Dimmer. Power Supply	602,-
RL-10-SE	1 RU Ralnite with one 12" High Intensity Gooseneck and Dimmer. Euro Power Supply	650,-
RL-10-SA	1 RU Ralnite with one 12" High Intensity Gooseneck and Dimmer. No Power Supply	543,-
RL-10-D	1 RU Ralnite with two 12" High Intensity Goosenecks and Dimmer. Power Supply	906,-
RL-10-DE	1 RU Ralnite with two 12" High Intensity Goosenecks and Dimmer. Euro Power Supply	954,-
RL-10-DA	1 RU Ralnite with two 12" High Intensity Goosenecks and Dimmer. No Power Supply	847,-
RLX	1 RU Rack Panel with Two 3-pin XLR Connectors and Dimmer. For use with X-Series. Power Supply	561,-
RLX-E	1 RU Rack Panel with Two 3-pin XLR Connectors and Dimmer. For use with X-Series. Euro Power Supply	584,-
RLX-A	1 RU Rack Panel with Two 3-pin XLR Connectors and Dimmer. For use with X-Series. No Power Supply	484,-
LED SERIES		
P SERIES		
12P-LED	LED, 12" Gooseneck, Threaded End	338,-
18P-LED	LED, 18" Gooseneck, Threaded End	338,-
G SERIES		
12G-LED	LED, 12" Gooseneck, BNC Connector	360,-
18G-LED	LED, 18" Gooseneck, BNC Connector	360,-
X SERIES		
12X-LED	LED, 12" Gooseneck, 4-PIN XLR Connector	417,-
18X-LED	LED 18" Gooseneck, 3-PIN XLR Connector	417,-
X-4 SERIES		
12X-4-LED	LED, 12" Gooseneck, 4-PIN XLR Connector	427,-
12X-4-LED-180	LED, 12" Gooseneck, 4-PIN XLR Connector-(Midas Venice)	427,-
18X-4-LED	LED, 18" Gooseneck, 4-PIN XLR Connector	427,-
18X-4-LED-180	LED, 18" Gooseneck, 4-PIN XLR Connector-(Midas Venice)	427,-
XR SERIES		
12XR-LED	LED, 12" Gooseneck, 3-PIN, Right Angle XLR Connector	472,-
18XR-LED	LED, 18" Gooseneck, 3-PIN, Right Angle XLR Connector	472,-

XR-4 SERIES

12XR-4-LED	LED, 12" Gooseneck, 4-PIN, Right Angle XLR Connector	493,-
18XR-4-LED	LED, 18" Gooseneck, 4-PIN, Right Angle XLR Connector	493,-

L-LED SERIES

L-12-LED	LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply	543,-
L-12E-LED	LED Lampset. 12" Gooseneck. Mounting Kit. Euro Power Supply	587,-
L-12A-LED	LED Lampset. 12" Gooseneck. Mounting Kit. No Power Supply	471,-
L-18-LED	LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply	543,-
L-18E-LED	LED Lampset. 18" Gooseneck. Mounting Kit. Euro Power Supply	587,-
L-18A-LED	LED Lampset. 18" Gooseneck. Mounting Kit. No Power Supply	471,-

AUTOMOTIVE LED SERIES***L-5 SERIES***

L-5/12-LED	LED. Permanent End Mount 12" Gooseneck. Automotive Wiring Kit	526,-
L-5/18-LED	LED. Permanent Mount 12" Gooseneck. Automotive Wiring Kit	526,-

L-6 SERIES

L-6/12-LED	LED. Permanent Mount 12" Gooseneck. Detachable Cigarette Plug Adapter	543,-
L-6/18-LED	LED. Permanent Mount 18" Gooseneck. Detachable Cigarette Plug Adapter	543,-

L-9 SERIES

L-9/12-LED		526,-
L-9/18-LED	LED. Permanent Mount 18" Gooseneck. Automotive Wiring Kit	526,-

NEW PRODUCT-2007-2008***MS SERIES***

MS-12-HI	12" High Intensity Gooseneck Music Stand Light with Power Supply	395,-
MS-12E-HI	12" High Intensity Gooseneck Music Stand Light with Euro Power Supply	459,-
MS-12A-HI	12" High Intensity Gooseneck Music Stand Light. No Power Supply	319,-
MS-18-HI	18" High Intensity Gooseneck Music Stand Light with Power Supply	395,-
MS-18E-HI	18" High Intensity Gooseneck Music Stand Light with Euro Power Supply	459,-
MS-18A-HI	18" High Intensity Gooseneck Music Stand Light. No Power Supply	319,-

MS LED SERIES

MS-12-LED	12" LED Gooseneck Music Stand Light with Power Supply	582,-
MS-12E-LED	12" LED Gooseneck Music Stand Light with Euro Power Supply	655,-
MS-12A-LED	12" LED Gooseneck Music Stand Light. No Power Supply	517,-
MS-18-LED	18" LED Gooseneck Music Stand Light with Power Supply	582,-
MS-18E-LED	18" LED Gooseneck Music Stand Light with Euro Power Supply	655,-
MS-18A-LED	18" LED Gooseneck Music Stand Light. No Power Supply	517,-

L-7 SERIES

L-7/6	High Intensity Lampset. Permanent End-Mount 6" Gooseneck. Power Supply and Mounting Kit	348,-
L-7/6E	High Intensity Lampset. Permanent End-Mount 6" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-7/6A	High Intensity Lampset. Permanent End-Mount 6" Gooseneck. Mounting Kit. No Power Supply	289,-
L-7/12	High Intensity Lampset. Permanent End-Mount 12" Gooseneck. Power Supply and Mounting Kit	348,-
L-7/12E	High Intensity Lampset. Permanent End-Mount 12" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-7/12A	High Intensity Lampset. Permanent End-Mount 12" Gooseneck. Mounting Kit. No Power Supply	289,-
L-7/18	High Intensity Lampset. Permanent End-Mount 18" Gooseneck. Power Supply and Mounting Kit	348,-
L-7/18E	High Intensity Lampset. Permanent End-Mount 18" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-7/18A	High Intensity Lampset. Permanent End-Mount 18" Gooseneck. Mounting Kit. No Power Supply	289,-

L-7 LED SERIES

L-7/12-LED	LED Lampset. Permanent End-Mount 12" Gooseneck. Power Supply and Mounting Kit	543,-
L-7/12E-LED	LED Intensity Lampset. Permanent End-Mount 12" Gooseneck. Euro Power Supply and Mounting Kit	587,-
L-7/12A-LED	LED Lampset. Permanent End-Mount 12" Gooseneck. Mounting Kit. No Power Supply	471,-
L-7/18-LED	LED Lampset. Permanent End-Mount 18" Gooseneck. Power Supply and Mounting Kit	543,-
L-7/18E-LED	LED Intensity Lampset. Permanent End-Mount 18" Gooseneck. Euro Power Supply and Mounting Kit	587,-
L-7/18A-LED	LED Lampset. Permanent End-Mount 18" Gooseneck. Mounting Kit. No Power Supply	471,-

T SERIES

6T	Low Intensity, 6" Gooseneck, TNC Connector	170,-
6T-HI	High Intensity, 6" Gooseneck, TNC Connector	230,-
12T	Low Intensity, 12" Gooseneck, TNC Connector	170,-
12T-HI	High Intensity, 12" Gooseneck, TNC Connector	230,-
18T	Low Intensity, 18" Gooseneck, TNC Connector	170,-
18T-HI	High Intensity, 18" Gooseneck, TNC Connector	230,-

T-LED SERIES

12T-LED	LED, 12" Gooseneck, TNC Connector	360,-
18T-LED	LED, 18" Gooseneck, TNC Connector	360,-

L-8 SERIES

L-8/6	Low Intensity Lampset. Detachable TNC 6" Gooseneck. Power Supply and Mounting Kit	348,-
L-8/6E	Low Intensity Lampset. Detachable TNC 6" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-8/6A	Low Intensity Lampset. Detachable TNC 6" Gooseneck. Mounting Kit. No Power Supply	289,-

L-8/12	Low Intensity Lampset. Detachable TNC 12" Gooseneck. Power Supply and Mounting Kit	348,-
L-8/12E	Low Intensity Lampset. Detachable TNC 12" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-8/12A	Low Intensity Lampset. Detachable TNC 12" Gooseneck. Mounting Kit. No Power Supply	289,-
L-8/18	Low Intensity Lampset. Detachable TNC 18" Gooseneck. Power Supply and Mounting Kit	348,-
L-8/18E	Low Intensity Lampset. Detachable TNC 18" Gooseneck. Euro Power Supply and Mounting Kit	396,-
L-8/18A	Low Intensity Lampset. Detachable TNC 18" Gooseneck. Mounting Kit. No Power Supply	289,-
L-8-HI SERIES		
L-8/6-HI	High Intensity Lampset. Detachable TNC 6" Gooseneck. Power Supply and Mounting Kit	407,-
L-8/6E-HI	High Intensity Lampset. Detachable TNC 6" Gooseneck. Euro Power Supply and Mounting Kit	455,-
L-8/6A-HI	High Intensity Lampset. Detachable TNC 6" Gooseneck. Mounting Kit. No Power Supply	348,-
L-8/12-HI	High Intensity Lampset. Detachable TNC 12" Gooseneck. Power Supply and Mounting Kit	407,-
L-8/12E-HI	High Intensity Lampset. Detachable TNC 12" Gooseneck. Euro Power Supply and Mounting Kit	455,-
L-8/12A-HI	High Intensity Lampset. Detachable TNC 12" Gooseneck. Mounting Kit. No Power Supply	348,-
L-8/18-HI	High Intensity Lampset. Detachable TNC 18" Gooseneck. Power Supply and Mounting Kit	407,-
L-8/18E-HI	High Intensity Lampset. Detachable TNC 18" Gooseneck. Euro Power Supply and Mounting Kit	455,-
L-8/18A-HI	High Intensity Lampset. Detachable TNC 18" Gooseneck. Mounting Kit. No Power Supply	348,-
LA SERIES		
LA-18-HI	High Intensity 18" Gooseneck Lectern Assembly with Power Supply	378,-
LA-18E-HI	High Intensity 18" Gooseneck Lectern Assembly with Euro Power Supply	408,-
LA-18A-HI	High Intensity 18" Gooseneck Lectern Assembly. No Power Supply	271,-
PARTS & ACCESSORIES		
1815	2.4-Watt Incandescent bayonet lamp. Low Intensity.	18,-
1815-2	TWO PACK-2.4-Watt Incandescent bayonet lamp. Low Intensity.	32,-
BA	BNC Power Cable	77,-
CF	Color Filter Kit-One Each Red, Blue, Clear (Pack of 3)	21,-
CL	Adjustable Clip for L-Series	78,-
CP-2	Cigarette Plug Adapter-2.1 mm Connector	22,-
DM	10-Watt Dimmer with Knob	63,-
EAD	Euro-Plug Adapter - Connects EXF to Old Style Lampsets	27,-
EXF-10G	Euro-Style Power Supply 240VAC to 12VAC, 1Amp. 2.1mm Connector	119,-
EXT	Six-foot Extension cable for GXF-10 and EXF-10G	61,-
GAD	Adapter cord to connect GXF-10 or EXF-10G to Old Style Lampsets	27,-
GPK	Chassis assembly with Dimmer, BNC Connector, Power Supply and Mounting Kit	211,-
GPK-T	Chassis assembly with Dimmer, TNC Connector, Power Supply and Mounting Kit	211,-
GXF-10	Power Supply. 120VAC to 12VAC. 1 Amp. 2.1mm Connector	90,-
HH	High Hood with O-Rings	43,-
HIC	High Intensity Conversion Kit-Q5. High Hood and O-Rings	93,-
HLK	Hook Locking Kit. High Hood with Spring Clip and O-Ring	49,-
HTC	High Tension Clamp	54,-
L-1	Chassis assembly with Dimmer, BNC Connector.	132,-
L-8	Chassis assembly with Dimmer, TNC Connector.	132,-
LAD	2,1mm to Bare End Adapter Cable. To wire PS or P-series to GXF-10/EXF-10G	8,-
LH	Low Hood with O-Rings	32,-
LITETOTE	Carrying bag for Littlites	132,-
LK	Replacement Knob for L-Series	10,-
LV	12-Volt Vehicle Wiring Kit	72,-
LX	X-Hood with O-Rings	47,-
MB	Magnetic Base with Adhesive Tape	84,-
MP	Mounting Plate for P-Series, PS or DM	27,-
MP 2	Dual Mounting Plate for P-Series and/or DM, PS	49,-
NVF-BLUE	Blue Color Filter-Set of Three	21,-
NVF-CLEAR	Clear Color Filter-Set of Three	21,-
NVF-RED	Red Color Filter-Set of Three	21,-
O-KIT	O-Rings for High and Low Lamps. Pack of 12	17,-
O-KIT-X	O-Rings for X-Hoods. Pack of 12	18,-
PS	BNC Panel Socket	30,-
PS-T	TNC Panel Socket	13,-
PYE	4 to 1 Adapter Cord. Connects up to four lampsets to single power supply. (Low and LED only)	72,-
Q5	5-Watt Halogen Bayonet Lamp. High Intensity.	50,-
Q5-2	TWO PACK 5-Watt Halogen Bayonet Lamp. High Intensity.	83,-
RAKIT	Mounting Bracket. Mounts L-Series to Rack Rail	107,-
RD	Replacement Dimmer for L-Series	54,-
RWB	Round Weighted Base. For use with L-1, L-2, L-3 and L-4series	94,-
SC	Storage Clips for goosenecks. Set of two with mounting screws	20,-
SM	Snap Mount For use with L-1, L-2, L-3 and L-4series. One Pair	21,-
WYE	2 to 1 Adapter Cord. Connects two lampsets to single power supply.	55,-
XC	Individual storage clip for X-Series Goosenecks. Self adhesive.	12,-
XLR-PS3	3-Pin XLR panel Socket. Black.	47,-
XLR-PS4	4-Pin XLR panel Socket. Black.	65,-