

## Spotlight

### LUCCIOLA Architectural series

#### PAR spots

#### LUCCIOLA

LUT	LUCCIOLA for PAR36 halogen lamps, with transformer	498,-
SUPERLUT	SUPERLUCCIOLA for PAR36/R111 halogen lamps 75W 12V, with transformer	691,-
SUPERLUT PROF	SUPERLUCCIOLA PROF for PAR36/R111 halogen lamps 75W 12V, in silver metalised paint, with transformer	741,-
SUPERLUT 100	SUPERLUCCIOLA for PAR36/R111 halogen lamps 100W 12V, with transformer	741,-
LUN 100	SUPERLUCCIOLA for high intensity PAR36/R111 halogen lamps 100W 230V	465,-
LUBS 35	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 35W	1.725,-
LUBS 70	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 70W	P.O.A
LUBS 70/SBA	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 70W, without ballast	808,-

#### Accessories for Lucciola Architectural Series

TCL	COLOUR FRAME for LUT and SUPERLUT	50,-
(Custom colour)	Special coating in any color of the RAL range	P.O.A
(Track adaptor)	Optional version with Live-Track adaptor	P.O.A

### MINI Architectural series

#### Aluminium range of mini-spots

#### miniFRESNEL

MI FN NO	miniFRESNEL for 300W/230V halogen lamp	1.355,-
MI FN LW	miniFRESNEL for 150W/24V halogen lamp	1.415,-
MI FN LW/CT	miniFRESNEL for 150W/24V halogen lamp with built in transformer	2.765,-
MI FN ME	miniFRESNEL for MSD 200/250W metal halide (discharge) lamp	3.765,-
MI FN ME/SBA	miniFRESNEL for MSD 200/250W metal halide (discharge) lamp, without ballast	1.545,-
MI FN MC	miniFRESNEL for 150W Mastercolour lamp, long life	3.335,-
MI FN MC/SBA	miniFRESNEL for 150W Mastercolour lamp, long life, without ballast	1.805,-

#### miniPC

MI PC NO	miniPC for 300W/230V halogen lamp	1.540,-
MI PC LW	miniPC for 150W/24V halogen lamp	1.595,-
MI PC LW/CT	miniPC for 150W/24V halogen lamp with built in transformer	2.915,-
MI PC ME	miniPC for MSD 200/250W metal halide (discharge) lamp	3.925,-
MI PC ME/SBA	miniPC for MSD 200/250W metal halide (discharge) lamp, without ballast	1.725,-
MI PC MC	miniPC for 150W Mastercolour lamp, long life	3.475,-
MI PC MC/SBA	miniPC for 150W Mastercolour lamp, long life, without ballast	1.950,-

#### miniPROFILE

MI PR NO	miniPROFILE 20° for 300W/230V halogen lamp	2.595,-
MI PR LW	miniPROFILE 20° for 150W/24V halogen lamp	2.660,-
MI PR LW/CT	miniPROFILE 20° for 150W/24V halogen lamp with built in transformer	4.050,-
MI PR ME	miniPROFILE 20° for MSD 200/250W metal halide (discharge) lamp	4.965,-
MI PR ME/SBA	miniPROFILE 20° for MSD 200/250W metal halide (discharge) lamp, without ballast	2.770,-
MI PR MC	miniPROFILE 20° for 150W Mastercolour lamp, long life	4.485,-
MI PR MC/SBA	miniPROFILE 20° for 150W Mastercolour lamp, long life, without ballast	2.960,-

---

**miniPROFILE zoom**


---

MI PR ZS NO	miniPROFILE zoom 20° - 40° for 300W/230V halogen lamp	3.330,-
MI PR ZS LW	miniPROFILE zoom 20° - 40° 150W/24V halogen lamp	3.410,-
MI PR ZS LW/CT	miniPROFILE zoom 20° - 40° for 150W/24V halogen lamp, with built in transformer	4.875,-
MI PR ZS ME	miniPROFILE zoom 20° - 40° for MSD 200/250W metal halide (discharge) lamp	5.660,-
MI PR ZS ME/SBA	miniPROFILE zoom 20° - 40° for MSD 200/250W metal halide (discharge) lamp, without ballast	3.455,-
MI PR ZS MC	miniPROFILE zoom 20° - 40° for 150W Mastercolour lamp, long life	5.185,-
MI PR ZS MC/SBA	miniPROFILE zoom 20° - 40° for 150W Mastercolour lamp, long life, without ballast	3.700,-

---

**miniPAR**


---

MI PAR N100	miniPAR for high intensity 100W halogen lamps 230V direct supply	829,-
MI PAR T100	miniPAR for high intensity 100W 12V halogen lamps with built-in transformer	P.O.A
MI PAR BS35	miniPAR for Brite Spot <sup>®</sup> 35W Discharge lamps very powerful light output	1.925,-

---

**miniLED**


---

MI LED 15 RGB	miniLED RGB Colour, 15W DMX and IR controlled	4.860,-
MI LED 25 CW	miniLED White, 25W 6.500°K Cool white DMX controlled	4.335,-
MI LED 15 NW	miniLED White, 15W 4.000°K Natural white DMX controlled	4.335,-
MI LED 15 WW	miniLED White, 15W 3.200°K Warm white DMX controlled	4.335,-

---

**Accessories for Mini Architectural series**


---

TC MINI	Colour filter frame for Mini/Piccolo	42,-
TD MINI	Filter frame for Dichroic filters for Mini/Piccolo	54,-
TC MINI 08	Colour filter frame for 8° Objective	P.O.A
TC MINI PAR	Colour filter frame for miniPAR	54,-
PL 4 MINI	4-leaf barndoors for miniFRESNEL and miniPC	260,-
PL 4 MINI PAR	4-leaf barndoors for miniPAR	306,-
PL C MINI PAR	Cone-type barndoors for miniPAR	113,-
PGM MINI	Gobo-holder for miniPROFILE	96,-
PGM MIZO	Gobo-holder for miniPROFILE ZOOM	130,-
MINI GAC	Hook for mini-trusses (30mm dia.)	80,-
HC/075	Aluminium half swivel coupler 75kg max	176,-
BASE-Q122-AS	Floor/wall mounting base	101,-
O/MINI 40	Wide-beam objective 40°	427,-
O/MINI 08	Narrow-beam objective 8°	829,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A
TR ES 150/24	External transformer 150W 24V	P.O.A
BE ES MC 070	External electronic ballast for MINI MC/SBA	P.O.A
BE ES MC 150	External electronic ballast for MINI MC/SBA	P.O.A
BE ES ME 250	External electronic ballast MINI ME/SBA	P.O.A
IR LED RGB	IR Remote control for LED RGB	394,-

**MIDI Architectural series**  
 Extruded aluminium spots

---

**MIDI FRESNEL**


---

MDFR CDM150 CR MIDI FRESNEL CDM 150W, cold restrike, magnetic ballast	3.015,-
MDFR CDM250 CR MIDI FRESNEL CDM 250W, cold restrike, magnetic ballast	4.005,-
MDFR CST250 CR MIDI FRESNEL CST 250W, cold restrike, magnetic ballast	4.005,-
MDFR CST250 HRE MIDI FRESNEL CST 250W, hot restrike, electronic ballast	11.300,-
MDFR CST250/SB MIDI FRESNEL CST 250W, cold restrike, without ballast	2.585,-

---

**MIDI PC**


---

MDPC CDM250 CF MIDI PC CDM 250W, cold restrike, magnetic ballast	3.990,-
MDPC CST250 CR MIDI PC CST 250W, cold restrike, magnetic ballast	3.990,-
MDPC CST250 HRE MIDI PC CST 250W, hot restrike, electronic ballast	11.300,-
MDPC CST250/SB MIDI PC CST 250W, cold restrike, without ballast	2.570,-

---

**MIDI PROFILE**


---

MDPR CST250 CR MIDI PROFILE CST 250W Zoom, cold restrike, magnetic ballast	6.355,-
--	---------

---

**MIDI LED**


---

MDLED 100 RGB Z MIDI LED RGBW 100W, 12°-50° Zoom, 2.900-6.000°K adjustable Colour Temperature, DMX control	13.050,-
<b>(2x1 ver.)</b> Set of 2 already-joined midi led fixtures (2x1 in-line)	P.O.A
<b>(4x1 ver.)</b> Set of 4 already-joined midi led fixtures (4x1 in-line)	P.O.A
<b>(2x2 ver.)</b> Set of 4 already-joined midi led fixtures (2x2 square array)	P.O.A

**Accessories for MIDI LED series**

IR LED RGB IR Remote control for LED RGB	394,-
PL 4 MDLED 100 4-Door barndoor for MIDI LED 100	P.O.A
TC MDLED 100 Colour filter frame for MIDI LED 100	P.O.A
KIT 2X1 MDLED 10 Yokes+Attachment kit for horizontal junction of two fixtures (2x1)	P.O.A
KIT 1X1 MDLED 10 Attachment kit for horizontal junction of additional 2 fixtures	P.O.A
KIT 1X2 MDLED 10 Yokes kit for vertical junction of two fixtures, inclusive of extended split yoke (1x2)	P.O.A

---

**Accessories for MIDI series (Fresnel, PC and Profile)**


---

TC S05 Colour filter frame	46,-
R S05 Safety net	63,-
<b>PL 4 U05</b> Unified 4-door barndoor for MIDI FRESNEL and PC	390,-
DIA 05 Iris diaphragm	863,-
DIA 05 BO Iris diaphragm with Black-out	968,-
PGB R 100 B size adjustable Gobo-holder for glass gobos for 500-650W Profile spots	126,-
PGM R 100 M size adjustable Gobo-holder for glass gobos for 500-650W Profile spots	126,-
DIM 05 PERS/DMX DMX controlled mechanical dimmer for MIDI series	8.800,-

**QUADRO series**

## Pressed finned steel spots

**Fresnel**

QS 05 F	QUADRO F for 500/650W	P.O.A
QS 10 F	QUADRO F for 1000/1200W	P.O.A

**PC**

QS 05 PC	QUADRO PC for 500/650W	P.O.A
QS 10 PC	QUADRO PC for 1000/1200W * PC clear lenses on request	P.O.A P.O.A

**Accessories for Quadro series**
**Colour frames**

TC S05	for 500-650W spots	46,-
TC S12	for 1000-1200W spots	54,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**4-Doors barndoors Q Series**

PL 4 Q05	for 500-650W spots	293,-
PL 4 Q10	for 1000-1200W spots	P.O.A

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

**COMBI series**

## Extruded aluminium and steel spots

**FRESNEL**

COM 05 F	COMBI F for 500/650W halogen lamps	1.435,-
COM 12 F	COMBI F for 1000/1200W halogen lamps	1.915,-
COM 25 F	COMBI F for 2000/2500W halogen lamps	3.660,-
COM 50 F	COMBI F for 5000W halogen lamps	9.580,-

**PC**

COM 05 PC	COMBI PC for 500/650W halogen lamps	1.540,-
COM 12 PC	COMBI PC for 1000/1200W halogen lamps	2.035,-
COM 25 PC	COMBI PC for 2000/2500W halogen lamps	3.880,-
COM 50 PC	COMBI PC for 5000W halogen lamps * Clear Plano-Convex lenses on request	11.300,-

**COMBI PROFILE**

COM 05 ZS	14°-30° Zoom Profile for 500-650W halogen lamps	3.280,-
COM 05 ZW	23°-40° Zoom Profile for 500-650W halogen lamps	3.305,-
COM 12 ZS	13°-35° Zoom Profile for 1000-1200W halogen lamps	4.955,-
COM 12 ZW	24°-50° Zoom Profile for 1000-1200W halogen lamps	4.955,-
COM 25 ZM	12°-25° Zoom Profile for 2000-2500W halogen lamps	10.850,-
COM 25 ZW	17°-36° Zoom Profile for 2000-2500W halogen lamps	10.250,-

---

**HIGH PERFORMANCE (Low Voltage)**


---

COM 12 F LV CT (PC ver.)	COMBI F for 1200W 80V halogen lamps, 175mm diam. lens Plano-Convex or Clear Plano-Convex lens version	P.O.A P.O.A
(Transf. ver.)	Versions with magnetic or DMX-controlled electronic transformer, either built-in or external	P.O.A

---

**Accessories for Combi series**


---

**Colour frames**

TC S05	for 500-650W spots	46,-
TC S12	for 1000-1200W spots	54,-
TC S25	for 2000-2500W spots	84,-
TC S50	for 5000W spots	155,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Safety Net**

R S05	for 500-650W spots	63,-
R S12	for 1000-1200W spots	71,-
R S25	for 2000-2500W spots	75,-

**Unified 4-Doors barndoors**

PL 4 U05	Unified 4-door barndoor for 500-650W spots	390,-
PL 4 U12	Unified 4-door barndoor for 1000-1200W spots	473,-
PL 4 U25	Unified 4-door barndoor for 2000-2500W spots	628,-
PL 4 S50	for 5000W spots	976,-

**Iris diaphragms**

DIA 05	for 500-650W Profile spots	863,-
DIA 10	for 1000-1200W Profile spots	871,-
DIA 20	for 2000-2500W Profile spots	1.345,-

**Iris diaphragms with black out**

DIA 05 BO	for 500-650W Profile spots	968,-
DIA 10 BO	for 1000-1200W Profile spots	976,-
DIA 20 BO	for 2000-2500W Profile spots	1.565,-

**Gobo Holders**

PGB R 100	B size adjustable for glass gobos for 500-650W Profile spots	126,-
PGM R 100	M size adjustable for glass gobos for 500-650W Profile spots	126,-
PGB R 130	B size adjustable for glass gobos for 1000-1200W Profile spots	142,-
PGA R 185	A size adjustable for glass gobos for 2000-2500W Profile spots	251,-
PGB R 185	B size adjustable for glass gobos for 2000-2500W Profile spots	251,-

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

**SINTESI series**

Professional luminaires in extruded and die-cast aluminium housings

**AREA (Fresnel)**

AR 05	AREA 05 for 500-650W lamps	2.290,-
AR 12	AREA 12 for 1000-1200W lamps	2.710,-
AR 25	AREA 25 for 2000-2500W lamps	4.955,-

**VARIO (Pebble Convex)**

VA 05	VARIO 05 for 500-650W lamps	2.385,-
VA 12	VARIO 12 for 1000-1200W lamps	3.065,-
VA 25	VARIO 25 for 2000-2500W lamps * PC clear lenses on request	5.130,- P.O.A

**FIGURA (Profile Spots)**

FI 05 ZS	14°-30° Zoom FIGURA 05 for 500-650W lamps	3.700,-
FI 05 ZW	23°-40° Zoom FIGURA 05 for 500-650W lamps	3.700,-
FI 12 ZS	13°-35° Zoom FIGURA 12 for 1000-1200W lamps	6.160,-
FI 12 ZW	24°-50° Zoom FIGURA 12 for 1000-1200W lamps	6.130,-
FI 25 ZS	09°-25° Zoom FIGURA 12 for 2000-2500W lamps	11.300,-
FI 25 ZW	17°-36° Zoom FIGURA 25 for 2000-2500W lamps	11.500,-

**HIGH PERFORMANCE (Low Voltage)**

<b>FI 12 AX ZS LV</b>	11°-19° Zoom FIGURA 12 for 1200W 80V Fast-Fit lamps, electronic built-in transformer, DMX and manual dimmer	P.O.A
<b>(Transf. ver.)</b>	Versions with external magnetic or DMX-controlled electronic transformer	P.O.A

**Accessories for Sintesi series**
**Colour frames**

TC S05	for 500-650W spots	46,-
TC S12	for 1000-1200W spots	54,-
TC S25	for 2000-2500W spots	84,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Safety Net**

R S05	for 500-650W spots	63,-
R S12	for 1000-1200W spots	71,-
R S25	for 2000-2500W spots	75,-

**Unified 4-Doors barndoors**

PL 4 U05	Unified 4-door barndoor for 500-650W spots	390,-
PL 4 U12	Unified 4-door barndoor for 1000-1200W spots	473,-
PL 4 U25	Unified 4-door barndoor for 2000-2500W spots	628,-

**Iris diaphragms**

DIA 05	for 500-650W Profile spots	863,-
DIA 10	for 1000-1200W Profile spots	871,-
DIA 20	for 2000-2500W Profile spots	1.345,-

**Iris diaphragms with black out**

DIA 05 BO	for 500-650W Profile spots	968,-
DIA 10 BO	for 1000-1200W Profile spots	976,-
DIA 20 BO	for 2000-2500W Profile spots	1.565,-

**Gobo Holders**

PGB R 100	B size adjustable for glass gobos for 500-650W Profile spots	126,-
PGM R 100	M size adjustable for glass gobos for 500-650W Profile spots	126,-
PGB R 130	B size adjustable for glass gobos for 1000-1200W Profile spots	142,-
PGA R 185	A size adjustable for glass gobos for 2000-2500W Profile spots	251,-
PGB R 185	B size adjustable for glass gobos for 2000-2500W Profile spots	251,-

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

**EVOLUTION series**
**High performance aluminium profile spots**

- professional luminaires in extruded and die-cast aluminium housings,
  - relamping door with safety microswitch,
  - improved mechanical structure, special easy balancing yoke
  - high definition, 5 coated lenses, optimised optical system
- All EVOLUTION D fixtures are featured with exclusive internal electro-mechanical dimmer DMX controlled

**EVOLUTION H - Optical condenser profile spots for halogen lamps**

EVO 12 H ZS	Optical condenser 12°-24° Zoom EVOLUTION 12 for 1000-1200W halogen lamps	8.670,-
EVO 12 H ZW	Optical condenser 20°-41° Zoom EVOLUTION 12 for 1000-1200W halogen lamps	8.670,-
EVO 25 H ZS	Optical condenser 08°-22° Zoom EVOLUTION 252 for 2000-2500W halogen lamps	16.500,-
EVO 25 H ZW	Optical condenser 18°-38° Zoom EVOLUTION 25 for 2000-2500W halogen lamps	16.450,-

**EVOLUTION D - Optical condenser profile spots for discharge lamps**

EVO 12 DC ZS	Optical condenser 14°-27° Zoom EVOLUTION 12 for 1200W discharge lamps	27.700,-
EVO 12 DC ZW	Optical condenser 22°-37° Zoom EVOLUTION 12 for 1200W discharge lamps	27.700,-
EVO 25 DH ZS	Optical condenser 08°-18° Zoom EVOLUTION 12 for 2500W discharge lamps	59.200,-
EVO 25 DH ZW	Optical condenser 17°-38° Zoom EVOLUTION 12 for 2500W discharge lamps	59.200,-

**Accessories for Evolution series**
**Colour frames**

TC S12	for 1000-1200W spots	54,-
TC S25	for 2000-2500W spots	84,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Iris diaphragms**

DIA 10	for 1000-1200W Profile spots	871,-
DIA 20	for 2000-2500W Profile spots	1.345,-

**Iris diaphragms with black out**

DIA 10 BO	for 1000-1200W Profile spots	976,-
DIA 20 BO	for 2000-2500W Profile spots	1.565,-

**Gobo Holders**

PGB R 130	B size adjustable for glass gobos for 1000-1200W Profile spots	142,-
PGA R 185	A size adjustable for glass gobos for 2000-2500W Profile spots	251,-
PGB R 185	B size adjustable for glass gobos for 2000-2500W Profile spots	251,-

**Yokes**

FORC EVO25/S	double-jointed yoke for EVO25	P.O.A
--------------	-------------------------------	-------

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

**VEDETTE series**

Zoom, high performance Followspots

**Extruded and Die-Cast Aluminium Followspots**

VD 12 H CC	VEDETTE 1200W for halogen lamps, "fast-fit" type	9.495,-
VD 12 H CC LV	VEDETTE 1200W for halogen lamps with 115-230/80V electronic transformer, DMX and manual dimmer	P.O.A
VD 12 M MT	VEDETTE 1200W for HTI/SA Gy22 discharge lamps with manual dimmer	19.200,-
VD 12 M CR	VEDETTE 1200W for MSR G22 discharge lamps, cold restrike	18.500,-
VD 12 M HR	VEDETTE 1200W for MSR/HMI G38 discharge lamps, hot restrike	23.300,-
VD 25 H	VEDETTE 2500W for 2500W G22 halogen lamps	13.850,-
VD 25 CM HR	VEDETTE 2500W COMPACT for HTI G22 discharge lamps, hot restrike, with manual dimmer	52.100,-
VD 25 M HR	VEDETTE 2500W for MSR/HMI G38 discharge lamps, hot restrike	60.100,-

**Accessories for Vedette series**
**Professional Colour Changers**

CMA 12	Manual automatic semaphore COLOUR CHANGER for all VD 12	3.830,-
CMA 25	Manual automatic semaphore COLOUR CHANGER for all VD 25	5.210,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Economic Colour Changers**

CMA 12 E	Manual economic semaphore COLOUR CHANGER for all VD 12	P.O.A
CMA 25 E	Manual economic semaphore COLOUR CHANGER for all VD 25	P.O.A

**Gobo Holders**

PGB R 130	B size adjustable for glass gobos for 1000-1200W Profile spots	142,-
PGA R 185	A size adjustable for glass gobos for 2000-2500W Profile spots	251,-
PGB R 185	B size adjustable for glass gobos for 2000-2500W Profile spots	251,-

**Manual Dimmers**

DIM 12 PERS/MAN	Manual mechanical dimmer for VD 12 M CR/HR	5.650,-
DIM 25 PERS/MAN	Manual mechanical dimmer for VD 25 M HR	6.595,-

**Accessories for Vedette Series**

DIN P 10	TV spigot / M10 adapter with plate	260,-
RF	Wheel set with brake	687,-
SUP BA 12/25	Ballast-holder for stand	2.090,-
BS	Low stand for followspots with Din-attachment and lazy leg	2.175,-

**PICCOLO series**

Ultra compact, aluminium follow spot

**PICCOLO S - Ultra-compact followspot with iris diaphragm and fan**

PIC HS	For 1000W halogen lamp	7.510,-
PIC MS	For 1000/1200W discharge lamp	15.950,-
(700W ver.)	Version for 700W long life discharge lamp on request	P.O.A

**Accessories for Piccolo S series**

TC MINI	Colour filter frame for Mini/Piccolo	42,-
TD MINI	Filter frame for Dichroic filters for Mini/Piccolo	54,-
CMA PIC P	Manual colour changer for PIC Halogen with plastic filters	1.520,-
CMA PIC D	Manual colour changer for PIC Discharge with dichroic coated filters	3.305,-
RM PIC D	Motorised colour wheel for PIC MS with Dichroic Filters	P.O.A
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Lenses**

OLARPI	Wide beam lenses	871,-
OSTRPI	Narrow beam lenses	1.650,-

**Manual Dimmers**

DIMPIMA	Manual dimmer for PIC M to be used with standard and wide-beam objective	2.175,-
DIMPIMA/OS	Manual dimmer for PIC M to be used with narrow-beam objective	3.305,-

**DMX Dimmers**

DIMPDMX	Dimmer DMX for discharge lamp Piccolo	7.445,-
---------	---------------------------------------	---------

**Telescopic Stands**

DIN P 10	TV spigot / M10 adapter with plate	260,-
RF	Wheel set with brake	687,-
SUP BA 12/25	Ballast-holder for stand	2.090,-
BS	2-section Tripod Low-Stand for TV spigot, with Din-attachment and lazy-leg	2.175,-

**PICCOLO series**

Ultra compact, aluminium effect projector

**PICCOLO E - Special effect projector**

PIC HE	For 1000W halogen lamp	6.140,-
PIC ME	For 1000/1200W discharge lamp	14.600,-
(700W ver.)	Version for 700W long life discharge lamp on request	P.O.A

**Accessories for Piccolo E series**
**Lenses**

OLARPI	Wide beam lenses	871,-
OSTRPI	Narrow beam lenses	1.650,-

**Special Effects**

PODI24	Disk box	1.435,-
MODIVE	Fast motor	1.215,-
MODILE	Slow motor	1.000,-
MODIXLE	Extra-Slow motor for Cloud effect	1.025,-
EFIPI	Fire effect	741,-
ENEPI	Snow effect	5.185,-
EMAPI	Sea effect	1.200,-
EDFAPI	Fantasy disk effect	452,-
ENUPI	Cloud effect	2.435,-
EPIOPI	Rain effect	2.305,-
ECASPI	Waterfall effect	1.085,-
TEPI	Effect-front head w/objective to modify the followspot version into an effect projector	1.600,-

**Telescopic Stands**

DIN P 10	TV spigot / M10 adapter with plate	260,-
RF	Wheel set with brake	687,-
SUP BA 12/25	Ballast-holder for stand	2.090,-
BS	2-section Tripod Low-Stand for TV spigot, with Din-attachment and lazy-leg	2.175,-

**Fresnel Daylight**
**Fresnel Daylight - including power supply, safety net and 4-door barndoors**

FR 05 MSR	Fresnel Daylight for 575 W MSR/HMI G22 lamps	30.050,-
FR 12 MSR	Fresnel Daylight for 1200W MSR/HMI G38 lamps	35.050,-
FR 25 MSR	Fresnel Daylight for 2500W MSR/MHI G38 lamps	48.700,-
FR 40 MSR	Fresnel Daylight for 4000W MSR G38 lamps	69.750,-
(Electronic Ballast)	Electric ballast versions on request	P.O.A

**Accessories for Fresnel Daylight**

TF 275	Colour frame for FR 05 MSR	163,-
TF 340	Colour frame for FR 12 MSR	209,-
TF 400	Colour frame for FR 25 and FR 40 MSR	226,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

**Dimmers**

(Dimmer)	Electro-mechanical dimmer DMX controlled	P.O.A
----------	--	-------

**Floodlights**
**DOMINO (Cyclorama Floodlight)**

DOM 1000	Cyclorama asymmetrical floodlight for 1000W lamps, from the top or bottom of backcloth	1.730,-
----------	--	---------

---

**Accessories for Domino**


---

D 2X2 M	2x2 FRAME for four units in a square, hand operated	2.785,-
D 2X2 P	2x2 FRAME for four units in a square, pole operated	5.225,-
D 4X1	4x1 BAR for four units in line	272,-
PL 2 DOM	4-door Barndoors for Domino	628,-

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	
-------------------	--	--

---

**RIBALTINA (Symmetric Floodlight)**


---

RA 1	Floodlight for 200-1000W halogen lamp with safety net	867,-
RA 4	4-compartment Floodlight (length 1 mt.) for halogen lamps	2.610,-

---

**Accessories for Ribaltina**

TCR	Gel colour frame	54,-
TRV	Frame with coloured glass and net	P.O.A
PR4	4-door Barndoors	373,-
(Dicro Spot)	high resistance dichroic glass colour filters: 20 colours available as standard; other colours on request	P.O.A

## Beamlights

---

**PAR Can**


---

LUT	LUCCIOLA for PAR36 halogen lamps, with transformer	498,-
SUPERLUT	SUPERLUCCIOLA for PAR36/R111 halogen lamps 75W 12V, with transformer	691,-
SUPERLUT PROF	SUPERLUCCIOLA PROF for PAR36/R111 halogen lamps 75W 12V, in silver metalised paint, with transformer	741,-
SUPERLUT 100	SUPERLUCCIOLA for PAR36/R111 halogen lamps 100W 12V, with transformer	741,-
LUN 100	SUPERLUCCIOLA for high intensity PAR36/R111 halogen lamps 100W 230V	465,-
LUBS 35	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 35W	1.725,-
LUBS 70	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 70W	P.O.A
LUBS 70/SBA	MAXILUCCIOLA for PAR36/R111 ceramic discharge lamps 70W, without ballast	808,-
TCL	COLOUR FRAME for LUCCIOLA	50,-
(Custom colour)	Special coating in any color of the RAL range	P.O.A
(Track adaptor)	Optional version with Live-Track adaptor	P.O.A
PAR 16 N	PAR CAN for dicroic lamp 50 mm, max 75 W with colour frame, black	151,-
PAR 16 S	PAR CAN for dicroic lamp 50, mm, max 75 W, with colour frame, silver	151,-
PAR 56 N	PAR CAN for PAR 56 lamps with colour frame, black	226,-
PAR 56 S	PAR CAN for PAR 56 lamps with colour frame, silver	226,-
PAR 64 N	PAR CAN PROF long for PAR 64 lamps (CE version) with colour frame, black	419,-
PAR 64 S	PAR CAN PROF long for PAR 64 lamps (CE version) with colour frame, silver	419,-

---

**BEAMLIGHT**


---

RP 1280	BEAMLIGHT (parabolic reflector) for long distances, for 1200W, 80V lamps	7.960,-
TM 1280 SC	230/80V magnetic transformer for 1200W beamlight	3.435,-
TE 1280 SC	115-230/80V electronic transformer for 1200W beamlight	6.925,-
TC 1280	Colour filter frame for 1200W beamlight	155,-

**Colour Changers**

(Colour Scroller)	Motorised scrolling colour changer, DMX controlled	P.O.A
-------------------	--	-------

---

**WOOD LIGHT**


---

RT 20	RIBALTINA for 20W tube with safety net (without lamp)	P.O.A
RS 20	SAFETY NET for Wood 20W (extra)	P.O.A
RT 40	RIBALTINA for 40W tube with safety net (without lamp)	P.O.A
RS 40	SAFETY NET for Wood 40W (extra)	P.O.A
W 400	BLACK GUN (E40 beamlight) for Wood 400W lamps with safety net	1.780,-

## ARC System

### Professional DMX motorised yokes with modular design

- modular design and construction to fit any luminaires' size
- no startup reset required
- smooth and silent movement for in-hall use during live-show
- extremely precise in focusing and positioning
- 16bit precision DMX control
- safety clutch system and stored-position recall in the event of manual movement
- standard double-clamp hanging system for fast and easy locking on tubular pipes
- external base plate for floor-mounting, available on request
- every yoke is supplied with internal power supply and DMX output connector for Colour Changers (if applicable)
- prices include assembling and setup for Spotlight fixtures
- for other band fixtures' suitability and prices, please ask for quotation

---

**ARC for STAGE - modular motorized yoke for Fresnel, PC and Profiles**


---

ARC STAGE/2	Motorized yoke with 2 parameters (pan and tilt) for small lighting fixtures (1000, 2000W max)	28.550,-
ARC STAGE/3	Motorized yoke with 3 parameters (pan, tilt and iris/focus) for small lighting fixtures (1000, 2000W max)	37.200,-
ARC STAGE/2 PLU!	Motorized yoke with 2 parameters (pan and tilt) for larger lighting fixtures (up to 5000W max)	34.550,-
ARC STAGE/3 PLU!	Motorized yoke with 3 parameters (pan, tilt and iris/focus) for larger lighting fixtures (up to 5000W max)	43.650,-

---

**ARC for VIDEO - modular motorised yoke for DLP/LCD video projectors**


---

ARC VIDEO	Motorized yoke with 2 parameters (pan and tilt) for medium video projectors	30.700,-
ARC VIDEO PLUS	Motorized yoke with 2 parameters (pan and tilt) for large video projectors	36.450,-
(DMX interface)	DMX interface for remote control of videoprojector's paramentes on request	P.O.A
VIDEO PERF XT	VIDEO PERFORMER XT - Digital media server for DMX controlled image processing and video effects	P.O.A

---

**ARC for SPECIAL STAGE - modular motorized yoke for other fixtures**


---

(ARC per RP 1280)	Motorized yoke with 3 parameters (pan, tilt and zoom) for BEAMLIGHT 1200W 80V	P.O.A
(ARC per MIDI 2x2)	Motorized yoke with 3 parameters (pan, tilt and zoom) for multiple square-array MIDI LED 100W	P.O.A
(ARC per LEDBARS)	Motorized yoke with 2 parameters (pan and tilt) for LED BARS	P.O.A
(ARC per SVOBOD)	Motorized yoke with 3 parameters (pan and tilt) for SVOBODA	P.O.A

## Pole Operated System

### Manual-control focusing and positioning

- manual yoke for 2 or 3 way positioning (tilt, pan and focus)
- modular for 500W to 5.000W fixtures
- smooth and silent movement for in-hall use during live-show
- optional Stage Clamp for DIN Spigot 28mm

---

**2-way PO system**


---

<b>PO/2 SP05</b>	Pole Operated yoke 2-way (tilt, pan) for Spotlight 500-650W range	P.O.A
<b>PO/2 SP12</b>	Pole Operated yoke 2-way (tilt, pan) for Spotlight 1000-1200W range	P.O.A
<b>PO/2 SP25</b>	Pole Operated yoke 2-way (tilt, pan) for Spotlight 2000-2500W range	P.O.A
<b>PO/2 SP50</b>	Pole Operated yoke 2-way (tilt, pan) for Spotlight 5000W range	P.O.A

---

**3-way PO system**


---

<b>PO/3 SP05</b>	Pole Operated yoke 3-way (tilt, pan, focus) for Spotlight 500-650W range	P.O.A
<b>PO/3 SP12</b>	Pole Operated yoke 3-way (tilt, pan, focus) for Spotlight 1000-1200W range	P.O.A
<b>PO/3 SP25</b>	Pole Operated yoke 3-way (tilt, pan, focus) for Spotlight 2000-2500W range	P.O.A
<b>PO/3 SP50</b>	Pole Operated yoke 3-way (tilt, pan, focus) for Spotlight 5000W range	P.O.A

## Accessories

---

**Telescopic stands**


---

C 32 PLUS	3-section Tripod Stand - M10	1.610,-
BS	Low stand for followspots with Din-attachment and lazy leg	2.175,-
DIN P 10	TV spigot / M10 adapter with plate	260,-
CGP2	3-section Wind-Up Stand for TV spigot (max. height mt. 3.80) and lazy leg	6.400,-
RF	Wheel set with brake for CGP2	687,-
SUP BA 12/25	Ballast-holder for stand	2.090,-
PRG	2,10 mt Extension for CGP2	1.000,-
BT 80	Crossbar, length 80 cm. for M10	268,-
BT 120	Crossbar, length 120 cm. for M10	373,-

---

**Rigging accessories**


---

GAC	HOOK CLAMP for 30 - 50 mm. tube	80,-
GAR	Aluminium, trigger, hook clamp	306,-
CLAMP	Aluminium universal CLAMP	297,-
GALL	16 mm, spigot/M10 adaptor	63,-
HC/075	Aluminium half swivel coupler 75kg max	176,-
HC/500	Aluminium half swivel coupler 500kg max	297,-
DC/075	Aluminium half swivel coupler 75kg max	339,-
DC/500	Aluminium half swivel coupler 500kg max	549,-
FUNE	Safety ROPE with spring hook	80,-

**GreenLine FRESNELED series**
**Compact LED aluminium Fresnel spots**

FN LED 50 CW	FresneLED luminaire 50W Cool White	4.900,-
FN LED 50 NW	FresneLED luminaire 50W Natural White	4.900,-
FN LED 50 WW	FresneLED luminaire 50W Warm White	4.900,-
FN LED 50 CW DM	FresneLED luminaire 50W Cool White c/controllo DMX	5.780,-
FN LED 50 NW DM	FresneLED luminaire 50W Natural White c/controllo DMX	5.780,-
FN LED 50 WW DM	FresneLED luminaire 50W Warm White c/controllo DMX	5.780,-
FN LED C100 CW	FresneLED luminaire Compact 100W Cool White	7.200,-
FN LED C100 NW	FresneLED luminaire Compact 100W Natural White	7.200,-
FN LED C100 WW	FresneLED luminaire Compact 100W Warm White	7.200,-
FN LED C100 CW I	FresneLED luminaire Compact 100W Cool White c/controllo DMX	7.620,-
FN LED C100 NW	FresneLED luminaire Compact 100W Natural White c/controllo DMX	7.620,-
FN LED C100 WW	FresneLED luminaire Compact 100W Warm White c/controllo DMX	7.620,-
FN LED 100 CW	FresneLED luminaire 100W Cool White	7.535,-
FN LED 100 NW	FresneLED luminaire 100W Natural White	7.535,-
FN LED 100 WW	FresneLED luminaire 100W Warm White	7.535,-
FN LED 100 CW D	FresneLED luminaire 100W Cool White c/controllo DMX	7.990,-
FN LED 100 NW D	FresneLED luminaire 100W Natural White c/controllo DMX	7.990,-
FN LED 100 WW D	FresneLED luminaire 100W Warm White c/controllo DMX	7.990,-

**Accessories for FresneLED series**
**Colour frames**

TC MINI	for FresneLED 50	42,-
TC S05	for FresneLED C100 (Compact)	46,-
TC S12	for FresneLED 100	54,-

**4-Doors barndoors**

PL 4 MINI	for FresneLED 50	260,-
PL 4 U05	for FresneLED C100 (Compact)	390,-
PL 4 U12	for FresneLED 100	473,-

**Others**

MINI GAC	Hook for mini-trusses (30mm dia.)	80,-
----------	-----------------------------------	------

**GreenLine PROFILED series**
**Compact LED aluminium Profile spots**

PR LED 50 ZS CW	ProfileLED luminaire ProfileLED 50W Zoom Cool White	6.405,-
PR LED 50 ZS NW	ProfileLED luminaire ProfileLED 50W Zoom Natural White	6.405,-
PR LED 50 ZS WW	ProfileLED luminaire ProfileLED 50W Zoom Warm White	6.405,-
PR LED 50 ZS CW	ProfileLED luminaire ProfileLED 50W Cool White c/controllo DMX	7.285,-
PR LED 50 ZS NW	ProfileLED luminaire ProfileLED 50W Natural White c/controllo DMX	7.285,-
PR LED 50 ZS WW	ProfileLED luminaire ProfileLED 50W Warm White c/controllo DMX	7.285,-
TR LED 50	External transformer for LED 50 Custom: ON/OFF + Dimmer function	7.285,-
PR LED 100 ZS CW	ProfileLED luminaire ProfileLED 100W Std Zoom Cool White	12.100,-
PR LED 100 ZS NW	ProfileLED luminaire ProfileLED 100W Std Zoom Natural White	12.100,-
PR LED 100 ZS WW	ProfileLED luminaire ProfileLED 100W Std Zoom Warm White	12.100,-
PR LED 100 ZS CW	ProfileLED luminaire ProfileLED 100W Std Zoom Cool White c/controllo DMX	12.950,-
PR LED 100 ZS NW	ProfileLED luminaire ProfileLED 100W Std Zoom Natural White c/controllo DMX	12.950,-
PR LED 100 ZS WW	ProfileLED luminaire ProfileLED 100W Std Zoom Warm White c/controllo DMX	12.950,-

---

**Accessories for ProfiLED series**


---

**Colour frames**

TC MINI	for ProfiLED 50	42,-
TC S05	for ProfiLED 100	46,-

**Iris diaphragms**

DIA 05	for ProfiLED 100	863,-
--------	------------------	-------

**Iris diaphragms with black out**

DIA 05 BO	for ProfiLED 100	968,-
-----------	------------------	-------

**Gobo Holders**

PGM MIZO	for ProfiLED 50	130,-
PGB R 100	for ProfiLED 100	126,-
PGM R 100	for ProfiLED 100	126,-

**Others**

MINI GAC	Hook for mini-trusses (30mm dia.)	80,-
----------	-----------------------------------	------