

Traxon Prisliste

LED Panels

Tile 64PXL		Pris
PA.TI.7110000	64PXL Tile Wash RGB, 50x50cm, DMX	5.290,-
PA.TI.7110100	64PXL Tile Matrix RGB, 50x50cm, DMX	5.290,-
PA.TI.7110002	64PXL Tile Wash RGB (e:pix)	5.290,-
PA.TI.7110101	64PXL Tile Matrix RGB (e:pix)	5.290,-
Mirror 64PXL		
PA.MI.7110001	64PXL Mirror Wash RGB, 50x50cm, DMX	5.465,-
PA.MI.7110002	64PXL Mirror Wash RGB (e:pix)	5.465,-

LED Boards & Cove & Stripes

Board		
MB.BO.7214000	64PXL Board RGB (64SMD), 23x23cm, DMX, TX Connect	2.025,-
MB.BO.7110000	16PXL Board RGB (16SMD), 23x23cm, DMX, TX Connect	988,-
MB.BO.5010000	1PXL Board RGB (16SMD), 23x23cm, DMX, TX Connect	838,-
MB.BO.7110001	16PXL Board RGB (e:pix)	988,-
Cove Light XR		
MB.CL.5010100	1PXL Cove Light XR RGB (12SMD), 29,5cm, DMX, TX Connect	600,-
Strip		
MB.ST.5010000	1PXL Strip RGB (12SMD), 28,8cm, DMX, TX Connect	529,-
Add on Boards / Strips		
MB.BO.7110100	16PXL Add-On Board RGB 31,25 (16SMD)	1.145,-
MB.BO.531500	4PXL Add-On Board RGB 62,5 (4SMD)	547,-
MB.ST.7213000	8pxl Add-On Strip RGB 31.25 (8SMD)	750,-
MB.ST.5311000	4pxl Add-On Strip RGB 62.5 (4SMD)	529,-

LED MESH & Strings

Mesh & Strings		
DO.MA.7010000	Mesh RGB (6.25)	14.990,-
DO.SA.7010000	String RGB (6.25)	13.225,-

LED White line

Board		
MB.BO.5060000	1PXL Board Cold White (16SMD), 23x23cm, DMX, TX Connect	926,-
MB.BO.5070000	1PXL Board Warm White (16SMD), 23x23cm, DMX, TX Connect	926,-
MB.BO.5080000	1PXL Board Dynamic White (32SMD), 23x23cm, DMX, TX Connect	1.145,-
Cove Light XR		
MB.CL.5060100	1PXL Cove Light XR Cold White (12SMD), 29,5cm, DMX, TX Connect	750,-
MB.CL.5070100	1PXL Cove Light XR Warm White (12SMD), 29,5cm, DMX, TX Connect	750,-
MB.CL.5080100	1PXL Cove Light XR Dynamic White (24SMD), 29,5cm, DMX, TX Connect	926,-



MB.CL.5062100	1PXL Cove Light XR Cold White (24SMD), 29,5cm, DMX, TX Connect	926,-
MB.CL.5072100	1PXL Cove Light XR Warm White (24SMD), 29,5cm, DMX, TX Connect	926,-

Strip

MB.ST.5060000	1PXL Strip Cold White (12SMD), 28,8cm, DMX, TX Connect	617,-
MB.ST.5070000	1PXL Strip Warm White (12SMD), 28,8cm, DMX, TX Connect	617,-
MB.ST.5080000	1PXL Strip Dynamic White (24SMD), 28,8cm, DMX, TX Connect	794,-
MB.ST.5062000	1PXL Strip Cold White DLX (24SMD) 28,8 cm, DMX, TX Connect	794,-
MB.ST.5072000	1PXL Strip Warm White DLX (24SMD) 28, 8 cm, DMX, TX Connect	794,-

AC On-Off Strip

MB.ST.0060000	On-Off Strip Cold White (12SMD)	247,-
MB.ST.0070000	On-Off Strip Warm White (12SMD)	247,-
MB.AC.0400100	Protective Housing & Mounting Bracket (For On-Off Strip)	66,-

AC On-Off Cove

MB.CL.0061100	AC On-Off Cove Cold White	661,-
MB.CL.0071100	AC On-Off Cove Warm White	661,-

LED XB Luminaires Indoor / Outdoor

Wall Washer XB (Outdoor IP65) 700mA

RGB

XB.WD.6211100	Wall Washer 18 outdoor RGB Optics 6° Clear Cover	3.435,-
XB.WD.6213100	Wall Washer 18 outdoor RGB Optics 25° Clear Cover	3.435,-
XB.WE.6211100	Wall Washer 36 outdoor RGB Optics 6° Clear Cover	5.290,-
XB.WE.6213100	Wall Washer 36 outdoor RGB Optics 25° Clear Cover	5.290,-

Dynamic White

XB.WD.6281100	Wall Washer 18 outdoor DW Optics 6° Clear Cover	3.615,-
XB.WD.6283100	Wall Washer 18 outdoor DW Optics 25° Clear Cover	3.615,-
XB.WE.6281100	Wall Washer 36 outdoor DW Optics 6° Clear Cover	6.040,-
XB.WE.6283100	Wall Washer 36 outdoor DW Optics 25° Clear Cover	6.040,-

Liner XB (Outdoor IP65) 700mA

RGB

XB.LF.6214100	Liner 9 outdoor RGB Optics 25° x 6° Clear Cover	2.200,-
XB.LH.6214100	Liner 27 outdoor RGB Optics 25° x 6° Clear Cover	4.850,-

Dynamic White

XB.LF.6284100	Liner 9 outdoor DW Optics 6° x 25° Clear Cover	2.245,-
XB.LH.6284100	Liner 27 outdoor DW Optics 6° x 25° Clear Cover	5.155,-

Nano Liner XB (Indoor) 350 mA

RGB

XB.NF.5114100	Nano Liner 9 indoor RGB Optics 6° x 25° Clear Cover	1.540,-
XB.NH.5114100	Nano Liner 27 indoor RGB Optics 6° x 25° Clear Cover	3.615,-

Dynamic White

XB.NF.5184100	Nano Liner 9 indoor DW Optics 6° x 25° Clear Cover	1.675,-
XB.NH.5184100	Nano Liner 27 indoor DW Optics 6° x 25° Clear Cover	3.965,-

Spot XB (Indoor) 350 mA

RGB / White

XB-SP-51130	Indoor Spot Light RGB 25° 350mA	882,-
XB-SP-51630	Indoor Spot Light Cool White 25° 350mA	882,-
XB-SP-51730	Indoor Spot Light Warm White 25° 350mA	882,-
XB-SP-51830	Indoor Spot Light Dynamic White 25° 350mA	882,-

Wall Washer Shield XB (Outdoor IP66) 700 mA

RGB

XB.WF.6313100	Wall Washer Shield 18 outdoor RGB Optics 25° Clear Cover	3.700,-
XB.WG.6313100	Wall Washer Shield 36 outdoor RGB Optics 25° Clear Cover	6.170,-

Dynamic White

XB.WF.6383100	Wall Washer Shield 18 outdoor DW Optics 25° Clear Cover	3.965,-
XB.WG.6383100	Wall Washer Shield 36 outdoor DW Optics 25° Clear Cover	6.260,-

Liner Shield XB (Outdoor IP66) 700 mA

RGB

XB.LK.6314100	Liner Shield 27 RGB Optics 6° x 25° Clear Cover	5.995,-
---------------	---	---------

Dynamic White

XB.LK.6384100	Liner Shield 27 DW Optics 6° x 25° Clear Cover	6.170,-
---------------	--	---------

TRAXON CONTROL

Standalone Controller

SC.CD.5000000	Light Drive RGB (Black)	3.515,-
SC.CD.5000100	Light Drive RGB (White)	3.515,-
SC.JD.5010000	Light Drive RGB Jog (Black)	1.575,-
SC.JD.5010100	Light Drive RGB Jog (White)	1.575,-
SC.JD.5080000	Light Drive Dyn White Jog (Black)	1.575,-
SC.JD.5080100	Light Drive Dyn White Jog (White)	1.575,-

Remote controller

SC.AC.0100100	Light-Drive RGB IR Remote Control	335,-
---------------	-----------------------------------	-------

TX Control Accessories

TI.ZI.0000100	TX CONNECT Smart Power/Data Injector Box	176,-
TI.DO.0000100	TX CONNECT Smart Data Extractor Box	132,-
XI.AC.0200100	TX CONNECT XB Coupler	26,-
XI.AC.0200200	TX CONNECT XB Splitter	44,-
TI.AC.0000100	TX CONNECT Smart Addresser Box	529,-

XB Luminaires Control

PX.IA.5010000	LED Engine XB Mini-36 350mA 90-260V (without PSU)	2.290,-
PX.IC.5060100	LED Engine XB-SD RJ45 350 mA-216 220V	8.730,-
PX.IC.5060101	LED Engine XB-SD Open Terminal 350 mA-216 220V	8.730,-
PX.ID.5120100	LED Engine XB-SD Rackmount RJ45 350 mA-432 220V	14.990,-
PX.ID.5120101	LED Engine XB-SD Rackmount Open Terminal 350 mA-432 220V	14.990,-
PX.IB.5010000	LED Engine XB Mini-36 700mA 90-260V (without PSU)	2.290,-
PX.IC.5030100	LED Engine XB-SD RJ45 700 mA-108 220V	7.495,-
PX.IC.5030101	LED Engine XB-SD Open Terminal 700 mA-108 220V	7.495,-
PX.ID.5060100	LED Engine XB-SD Rackmount RJ45 700 mA-216 220V	12.345,-
PX.ID.5060101	LED Engine XB-SD Rackmount Open Terminal 700 mA-216 220V	12.345,-
PX.IC.5030100	LED Engine XB-SD RJ45 700 mA-108 220V	7.495,-
PX.AC.0000000	XB Mini PSU 150W 48V DC	1.145,-
PX.AC.0000001	XB Mini PSU 60W 48V DC	661,-
PX.AC.0000002	XB Mini PSU 60W 24V DC	661,-
XB.AC.0000500	XB Liner Bracket	291,-

Alle priser er excl. moms

Light Partner aps - 97 26 96 00 - www.lightpartner.dk

Juli 2010

TRAXON POWER

Power Supplies

PS.IA.0010000	LED Engine Smart 100W Indoor	750,-
PS.IC.0010000	LED Engine Smart 150W Indoor	1.055,-
PS.OA.0010000	LED Engine Smart 150W Outdoor	1.230,-
PS.OA.0012000	LED Engine 150W 15V Outdoor	1.190,-
PS.IB.7030000	LED Engine Smart 300W Indoor	3.170,-
PS.AC.0200100	LED Engine Smart Garage (for 3 pieces 300w indoor PSU)	2.290,-
PS.AC.0000100	AC Power Cord (EU) Engine Smart	44,-
PS.AC.0000300	AC Power Cord (UK) Engine Smart	44,-

TX CONNECT Smart Indoor

TI.ZI.0000200	TX CONNECT Smart Splitter Cable 20cm	44,-
TI.PI.0000100	TX CONNECT Smart Power Injector Cable, 8,20cm/7.88"	88,-
TI.PI.0000200	TX CONNECT Smart Power Starter Cable, 2m/6,56ft	71,-
TI.PO.0000100	TX CONNECT Smart Converter Cable, 15cm/5,91"	44,-
TI.IC.0004000	TX CONNECT Smart Interconnection Cable, 4cm/1.57"	22,-
TI.IC.0008000	TX CONNECT Smart Interconnection Cable, 8cm/3.15"	44,-
TI.IC.0030000	TX CONNECT Smart Interconnection Cable, 30cm/11.82"	44,-
TI.IC.0060000	TX CONNECT Smart Interconnection Cable, 60cm/23.64"	71,-
TI.IC.0080000	TX CONNECT Smart Interconnection Cable, 80cm/31.5"	71,-
TI.EC.0050000	TX CONNECT Smart Extension Cable, 0.5m/1.64ft	49,-
TI.EC.0100000	TX CONNECT Smart Extension Cable, 1m/3.28ft	71,-
TI.EC.0300000	TX CONNECT Smart Extension Cable, 3m/9.84ft	132,-
TI.EC.0500000	TX CONNECT Smart Extension Cable, 5m/16.4ft	220,-
TI.EC.1000000	TX CONNECT Smart Extension Cable, 10m/32.8ft	397,-

TX CONNECT Data Indoor

DI.IC.0020000	TX CONNECT Data Cable, 0.2m/0.65ft	22,-
DI.IC.0100000	TX CONNECT Data Cable, 1m/3.28ft	22,-
DI.IC.0300000	TX CONNECT Data Cable, 3m/9.84ft	44,-
DI.IC.0500000	TX CONNECT Data Cable 5m/16.4ft	71,-
DI.IC.1000000	TX CONNECT Data Cable, 10m/32.8ft	123,-
DI.IC.2000000	TX CONNECT Data Cable, 20m/65.6ft	238,-

TX CONNECT Outdoor

DE.IC.0030000	TX CONNECT Data Outdoor Cable, 0,3m/0.99ft	159,-
DE.IC.0060000	TX CONNECT Data Outdoor Cable, 0.6m/1.98ft	185,-
DE.IC.0300000	TX CONNECT Data Outdoor Cable, 3m/9.84ft	229,-
TE.IC.0500000	TX CONNECT Data Outdoor Cable, 5m/16.4ft	573,-
TE.IC.1500000	TX CONNECT Data Outdoor Cable, 15m/49.2ft	970,-
TE.IC.3000000	TX CONNECT Data Outdoor Cable, 30m/98.4ft	1.655,-
XE.AC.0200000	TX CONNECT XB Outdoor Interconnection Sleeve	176,-
XI.IC.1000000	TX CONNECT XB Outdoor Interconnection Cable 10m/32.8ft	132,-
XI.IC.2000000	TX CONNECT XB Outdoor Interconnection Cable 20m/65.6ft	247,-
TE.ZI.0000100	TX CONNECT Smart outdoor Power/Data Injector box	1.410,-
TE.AC.0000100	TX CONNECT Smart Indoor/Outdoor Bridge Cable 5m/16.4ft	556,-
DE.AC.0000100	TX CONNECT Smart Data Indoor/Outdoor Bridge Cable 5m/16.4ft	238,-
DE.AC.0100000	RJ45 Field Installation Male Connector	238,-
XB-AC-99000	RJ11 to RJ45 Data Adaptor	96,-
DO.AC.0000700	Mesh/String Lead Extension Cable, 2.5m/8.2ft	220,-
DO.AC.0000800	Connector End Cap M12	22,-
DO.AC.0001200	Dot Clip x 33 pcs per set	220,-

Alle priser er excl. moms

Light Partner aps - 97 26 96 00 - www.lightpartner.dk

Juli 2010